## THE BLUE RANGE

### **TOOLING CABINETS & TROLLEYS**

Large stocks available for immediate despatch

Special tools available by request



Fast 24-hour re-grinding service for shear blades

Tooling to suit all types of machine

# ASHMORES

THE UK'S LONGEST ESTABLISHED PRESS BRAKE TOOLING MANUFACTURER WITH OVER 100 YEARS EXPERIENCE

#### Tel: 0121 557 1064 Fax: 0121 557 1085

Email: ashmores@pressbraketool.co.uk Website: www.pressbraketool.co.uk Lewis Street, Great Bridge, Tipton, West Midlands DY4 7EF.

#### **Tool storage**


colour size

blue

500\*900\*1366 mm.

Each unit offers customizable tool holders that are removable.

The cabinet also includes additional safety measures to prevent multiple shelves from being opened at the same time, as well as to prevent shelves from moving during use.







#### Button-operated push-button door lock

The lock core of this product is durable, anti-rust and anti-corrosion, the key is hard and firm, and the switch is smooth and easy to use



#### Cabinet door reinforcement

The door is completely closed design, the box and the cabinet door are strengthened and the tension is safe to use without deformation



#### **High-temperature** baking paint process

The lock core of this product is durable, anti-rust and anti-corrosion, the key is hard and firm, and the switch is smooth and easy to use



The slot of the cabinet used for storing tools



The tool cabinet uses 60mm square columns.









#### Tool storage trolley

colour	size
blue	550*860*1100 mm

Each unit offers customizable tool holders that are removable.

The cabinet also includes additional safety measures to prevent multiple shelves from being opened at the same time, as well as to prevent shelves from moving during use.







#### Cabinet slot for tool storage

The lock core of this product is durable, anti-rust and anti-corrosion, the key is hard and firm, and the switch is smooth and easy to use



#### With handrails

The handle of a mold cart is ergonomically designed to make it easier for operators to push and steer heavy molds, reducing physical strain. It enhances safety by minimizing direct contact with the mold. Some models are also equipped with locking features to aid in positioning and prevent sliding, ensuring stable and reliable mold transportation.





